1 de la II-desara and Coffmara interrunts

		tion: 3hrs [Max Marks:80]	
Q.1		Design 8086 microprocessor-based on following Specifications: 1. MP 8086 working at 8MHz minimum mode. 2. 64 KB EPROM using 32 KB Devices 3. 64 KB SRAM using 16KB device Explain Addressing modes of 8086 microprocessor. Explain Programming Model	10
Q.2	(a) (b)	Explain the Initialization command words (ICWs) and Operational command words (OCWs) of the 8259 PIC.	10

At mom , 100 8 5313

Paper / Subject Code: 40524 / Operating System

Q. 4	a b	Explain Belady's Anomaly with an example and how to solve it. Calculate Hit Ratio and Miss Ratio for the page replacement policy of LRU's Counter implementation method and LRU's Stack implementation method for given reference string 7, 0, 1, 2, 0, 3, 0, 4, 2, 3, 0, 3, 2, 1, 2, 0, 1, 7, 0, 1. Assuming three frame size for counter method and Five frame size for Stack method. Explain Disk scheduling criteria with example	[10]
Q. 5	a b	Explain steps for handling page fault in virtual memory, Explain the Five state process model with two suspended state	[10] [10]
Q. 6	a b c	Write short notes on Following Multithreading Models Resource Allocation Graph File Allocation Methods Virtual Memory Paging Vs Virtual Memory Segmentation	[20] [5] [5] [5] [5]

				$\alpha_1 \sim$	0000 11 0 1 3 1 0 3
SE	semI	Computer	R-19	C scheme	
Duration		•			[Max Marks:80]
N.B. : (1) Question No	1 is Compulsory.		, , , , , , , , , , , , , , , , , , ,	
(2) Attempt any	three questions out	of the rema	aining five.	
(3	3) All questions	carry equal marks.			
(4	4) Assume suita	ible data, if required	and state	it clearly.	

0.1		Attempt any FOUR	[20]
Q. 1			[5]
	a	Explain the types of Multiprocessor Systems	
		Discourse the second and interrupt handling	[5]
	b	Differentiate between context switching and interrupt handling	[5]
	С	A counting semaphore S is initialized to 10. Then, 6 P operations and 4 V	٢٠٦
		operations are performed on S. What is the final value of S?	[5]
	d	Calculate the effective memory access time in nanoseconds if the hit ratio to a TLB	[-]
	-	is 80%, and it takes 15 nanoseconds to search the 1LB, and 150 nanoseconds to	
		access the main memory.	r 5 1

SE sem IV Computer R-19 C scheme

[Max Marks:80] Duration: 3 Hours

N.B.: (1) Question No 1 is Compulsory.

- (2) Attempt any three questions out of the remaining five.
- (4) Assume suitable data, if required and state it clearly.

(3) All questions carry equal marks.

Solve any two out of three questions. What is DDL and DML commands. Write syntax and examples for DDL and DML

[20]

[10]


commands. Discuss with suitable example Extended E-R features Specialization, Generalization [10]

and aggregation. [10]

Paper / Subject Code: 40522 / Analysis of Algorithm

Q. 4

a) Give an algorithm to solve the All-pairs shortest path problem using dynamic (10) programming. What is its time complexity? Find the All-pairs shortest path for all the vertices for the following graph.



b) Explain the KMP algorithm for string matching with a suitable example. What is the advantage of the KMP algorithm over other string-matching algorithms?

N.B. (1) Question one is Compulsory.

(2) Attempt any 3 questions out of the remaining.

(3) Assume suitable data if required.

Q. 1

(05)

(05)

w4) = (10, 20, 30, 40). Find the maximum profit and optimal using greedy method.
 b) Write algorithm for binary search and explain its working with an example.

Evaloin how Graph coloring problem can be solved with backtracking using

by
$$A^6 - 6A^5 + 9A^4 + 4A^3 - 12A^2 + 2A$$
 —I where $A = \begin{bmatrix} 3 & 10 & 5 \\ -2 & -3 & -4 \\ 3 & 5 & 7 \end{bmatrix}$.

these figures support the hypothesis that educated fathers have

In a survey of 200 boys of which 75 were intelligent, 40 had educated fathers, while 90 of the unintelligent boys had uneducated fathers. Do

Using the Kuhn – Tucker conditions to solve the N.L.P.P.

Maximize
$$x = 8x + 10x + x^2 + x^2$$

Using the Kuhn-Tucker conditions to solve to Maximize
$$z = 8 x_1 + 10 x_2 - x_1^2 - x_2^2$$

Subject to $3 x_1 + 2 x_2 \le 6$; $x_1, x_2 \ge 0$

.5 a. Evaluate
$$\oint \frac{3z^2+z}{z^2-1}$$
 dz using Cauchy's residue theorem,

Note:

- Question **No. 1** is compulsory.
- Attempt any three questions out of remaining five questions.

following problem May $z = x_1 + 3x_2 + 3x_3$

Assume suitable data wherever necessary. 4. Figures to right indicate full marks.

- Marks Q.105 a. If $A = \begin{bmatrix} 2 & 2 & 1 \\ 1 & 3 & 1 \end{bmatrix}$ Find the characteristic roots of $A^3 + I$. 05 Evaluate $\int f(z) dz$ along the parabola $y = 2x^2$ from z = 0 to z = 3 + 1
- 18 i Where f (z) = $x^2 2iy$. 05 Determine all basic solutions and optimal basic feasible solution to the